

Connecting Threads Double Peony Table Topper


Designed by Darlene Jewell-Walhood

Approximate Size: 36-1/2" x 361/2"

	11		
	2022 Acorn & Leaves, cream A Twelve 5" squares B Twenty-four 3-½" squares C Seventy-two 2" squares, mark	Fabric 1	1 yd. diagonal
	2018 Plaid, green D One 17-½" square	Fabric 2	³∕4 yd.
	2010 Falling Leaves, dk. green E Twenty-four 2" x 5" rectangle	Fabric 3	½ yd.
	2021 Acorn & Leaves, red F Two 1" x 17-½" strips G Two 1" x 18-½" strips Binding: 2" x 152"	Fabric 4	½ yd.
	2019 Plaid, dk. red H Twelve 2" x 5" rectangles I Twelve 2" x 3-1/2" rectangles	Fabric 5	FQ
. 6) (4) 2 (5) (6) 5 (6) (6) 5 (6) (6)	2009 Falling Leaves, red Fabric 6 FQ J Twenty-four 2" x 3-½" rectangles K Twenty-four 2" squares, marked once on the diagonal		
	2016 Circles & Fronds, golden L Twelve 3-1/2" squares Backing: One 42" square (allows to		1-½ yds.








D

B

Make 12

Diagram 5



Make 12
Diagram 6

1- Sew C's and K's on the marked diagonal line to opposite ends of **twelve** E's in the direction shown in diagram 1. Then sew twelve more C's and K's on the marked

diagonal line to the remaining E's in the direction shown in diagram 2 for a total of twenty-four. Trim, leaving a 1/4" seam allowance. Press open.




2- Sew C's on the marked diagonal line to one end of twelve J's in the direction shown in diagram 3. Then sew C's on the marked diagonal line to the remaining J's in the opposite direction as shown in diagram 4. Trim, leaving a 1/4" seam allowance.

(II)

5" x 5" Make 12

Diagram 9

Block 3





4- Sew twelve **C/J** units to right side of twelve **B**'s and sew twelve **C/J** units to the left side of remaining twelve **B**'s as shown in diagrams 5 & 6.

5- Sew the K/E/C units created in step 1 to the bottom of Blocks 1 and Blocks 2 as shown in diagram 7.


6- Sew C's on the marked diagonal line to one end of I's and one end of H's in the direction shown in diagram 8.

7- Sew a C/I unit to the bottom of each L, then sew the C/H unit to the side as shown in diagram 9. Make 12.





NOTE: Please read the entire pattern carefully. Every effort has been made to ensure the accuracy of this pattern. Use a 1/4" seam allowance unless otherwise stated. Measure your quilt before cutting border strips. Make adjustments as necessary. Created by Darlene Jewell-Walhood for Connecting Threads & Copyright Connecting Threads & All rights reserved. For private, non-commercial use only. Please see our Web site for terms of use. 991649




- 11- Sew two sets of 2 blocks together as shown in diagram 12 for the side borders.
- 12- Sew the side border blocks to the center block as shown in diagram 14.
- 13- Sew two sets of 4 blocks together as shown in diagram 13 for the top and bottom borders.
- 14- Sew the top and bottom border blocks to the center block as shown in diagram 14.
- 15- Layer backing, batting, and quilt top wrong sides together and quilt as desired.
- 16- Sew binding on using a 1/4" seam allowance.

Need help with any of the techniques seen here? Check out our free tutorials and videos at http://quiltwithus.connectingthreads.com/ Includes appliqué, binding tips and more.

CUTTING SUGGESTIONS:

 $\frac{1}{2}$ yd.

Fabric 4



2104-03